



Colorado Department  
of Public Health  
and Environment

Comer, Governor  
a A. Nolan, MD, MPH, Executive Director  
ated to protecting and improving the health and environment of the people of Colorado

Cherry Creek Dr. S. Laboratory Building  
r, Colorado 80222-1530 4210 E. 11th Avenue  
(303) 692-2000 Denver, Colorado 80220-3716  
(303) 691-4700

3542 RF 94

UE  
ATE

CTION

DIST.	LTR	ENC
JRLINGAME, A.H.		
JSBY, W.S.		
ARNIVAL, G.J.		
ORDOVA, R.C.		
AVIS, J.G.		
RRERA, D.W.		
AY, R.E.		
IS, J.A.		
OVER, W.S.		
LAN, P.M.		
NNI, B.J.		
ALY, T.J.		
DAHL, T.G.		
BIG, J.G.		
ITCHINS, N.M.		
CKSON, D.T.		
LL, R.E.		
ESTER, A.W.		
ARX, G.E.		
DONALD, M.M.		
KENNA, F.G.		
ORGAN, R.V.		
ZUTO, V.M.		
OTTER, G.L.		
NDLIN, N.B.		
TERWHITE, D.G.		
HUBERT, A.L.		
HWARTZ, J.K.		
TLOCK, G.H.		
IGER, S.G.		
BIN, P.M.		
ORHEIS, G.M.		
LSON, J.M.		
PETER K	X	
SCHRADER DC	X	

September 7, 1994

Mr. Mark A. Silverman  
Manager, Rocky Flats Office  
U.S. Department of Energy  
P.O. Box 928  
Golden, Colorado 80402-0928

RE: Approval for a Change to Interim Status for RCRA Units 18.03 and 18.04 Denial for Change to Interim Status for 18.01

Dear Mr. Silverman:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the Division), has reviewed the Department of Energy's (DOE) Rocky Flats Office's April 22, 1994 request for a change to Interim Status. The request is to withdraw Unit 18.01 (Decon pad) and to add additional waste codes (D027, D028, D029, D035, D039, D040, D043, F006, F007, F009) to units 18.03 and 18.04. Additionally, DOE has requested the storage of 55 gallon drums, granular activated carbon bulk bins, crates and half crates in addition to the drums in 18.03 and 18.04.

The Division is approving the request for a change to Interim Status for Units 18.03 and 18.04 in accordance with 6 CCR 1007-3 Section 100.20 (b) (4). However, the request to withdraw from the Part A and terminate interim status for RCRA Unit 18.01 can not be granted. A closure plan must be submitted and approved by CDPHE, and the closure must be certified in accordance with 6 CCR 1007-3 Section 265.115 to terminate the interim status obligations for the unit. If you have any questions concerning this matter, please contact Lisa Weers at (303) 692-3451.

Sincerely,

*Gary W. Baughman*

Gary W. Baughman, Chief  
Facilities Section  
Hazardous Waste Control Program

cc: S. Tarlton, Rocky Flats Program Unit  
M. Johnson, Jefferson County Health Department  
M. Hestmark, EPA  
D. Ruscitto, DOE  
K. Peter, EG&G  
D. Miller, AGO  
D. Waltz, CDPHE/HMWMD

EC&G  
ROCKY FLATS PLANT  
CORRESPONDENCE CONTROL

SEP 15 1 55 PM '94



ADMIN RECCRD

DOCUMENT CLASSIFICATION  
REVIEW WAIVER PER  
CLASSIFICATION OFFICE

SW-A-003803

CORRES. CONTROL X X  
MN RECORD/080 X 2  
TS/T130G

Reviewed for Addressee  
Corres. Control RFP

9-15-94 R404  
DATE BY

Ltr. #

DE ORDER # 5400.1